

## SOME REMARKS ON CONTACT MODELS OF FINGERPAD - PART II: SURFACE STRESSES

CIORNEI Florina Carmen, ALACI Stelian, IRIMESCU Luminița,  
FRUNZĂ Gheorghe, CERLINĂ Delia Aurora  
„Ștefan cel Mare” University of Suceava  
[florina@fim.usv.ro](mailto:florina@fim.usv.ro)

**Keywords:** dissimilar elastic materials, fingerpad, stick-slip, circular contact, surface stresses

**Abstract:** The contact between human fingerpad during object grasping is modelled as a mechanical contact between two dissimilar spheres, normally loaded. Due to different deformations and micro-slip, shear stresses are induced on surface, generating radial and circumferential stresses in the contacting bodies. The equivalent Huber-Mises-Henky surface stress is computed by applying superposition principle, [1]. Due to the dissimilarity between contacting materials and the friction coefficient the surface stresses are more important than in the classical Hertzian contact, [4].

When two dissimilar elastic spheres in contact are normally loaded, the relative displacement at the interface induces a shear stress oriented on radial direction. This traction modifies the stress state and produces an annular microslip region and a central circular stick region, with dimensionless radius, as shown by Hills.et al., [2], [3]. A numerical program was proposed for computing stick radius and surface stresses of spheres with different elastic characteristics in normal contact.




Fig. 3.c. Equivalent surface contact stresses: Hertzian case (blue) and partial slip case (red)




Fig. 3.d. 3D plot of equivalent stresses for the contact of finger skin-artificial finger skin

The friction coefficient influences the dimension of the stick region inside the contact area; at increasing friction coefficient, the stick region increases while the slip annulus decreases.

### REFERENCES

- [1] Diaconescu, E.N., *Decisive Stresses for Rolling Contact Fatigue*, Scientific report EEC, INSA Lyon, 1993;
- [2] Hills, D. A. Sackfield, A., "The Stress Field Induced by Normal Contact between Dissimilar Spheres", 1987, *Journal of Applied Mechanics*, ASME, Vol. 54, March 1987, 8-14;
- [3] Hills D. A., Nowel, D., Sakfield, A., *Mechanics of Elastic Contacts*, Butterworth-Heinemann Ltd; 1993;
- [4] Johnson, K.L., *Contact Mechanics*, Cambridge University Press, 1985.